

L Number	Hits	Search Text	DB	Time stamp
1	3099	710/62,63,8,10,14,15,17,18,19.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:05
2	130	(detect\$4 discover\$3 determin\$7 inquir\$3 find\$3) near5 (load\$3 presence mount\$ insert\$3) same ((reset\$4 initiali\$6) near3 bus)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:06
3	44	710/62,63,8,10,14,15,17,18,19.ccls. and ((bus near4 (initiali\$7 reset\$4)) same ((state status mode) near4 (chang\$4 transition\$4 pass\$4 different transform\$4)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:11
4	1525	710/62,71,72,74.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:11
8	535	((bus near4 (initiali\$7 reset\$4)) same ((state status mode) near4 (chang\$4 transition\$4 pass\$4 different transform\$4)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:11
5	15	710/62,63,8,10,14,15,17,18,19.ccls. and ((detect\$4 discover\$3 determin\$7 inquir\$3 find\$3) near5 (load\$3 presence mount\$ insert\$3) same ((reset\$4 initiali\$6) near3 bus))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:12
7	2	710/62,71,72,74.ccls. and ((detect\$4 discover\$3 determin\$7 inquir\$3 find\$3) near5 (load\$3 presence mount\$ insert\$3) same ((reset\$4 initiali\$6) near3 bus))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:13
9	14	710/62,71,72,74.ccls. and (((bus near4 (initiali\$7 reset\$4)) same ((state status mode) near4 (chang\$4 transition\$4 pass\$4 different transform\$4)))))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:13
6	44	710/62,63,8,10,14,15,17,18,19.ccls. and (710/62,63,8,10,14,15,17,18,19.ccls. and ((bus near4 (initiali\$7 reset\$4)) same ((state status mode) near4 (chang\$4 transition\$4 pass\$4 different transform\$4)))))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:15
-	2	20020019893.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/04 17:16
-	215	(connect\$4 contact) near3 (detect\$4 determin\$7 identif\$7 discover\$4) and (bus near4 initiali\$7) and ((insert\$4 load\$4 mount\$4 presen\$4)near5 (detect\$4 determin\$7 discover\$4 identif\$7))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 10:39
-	1	((connect\$4 contact) near3 (detect\$4 determin\$7 identif\$7 discover\$4) and (bus near4 initiali\$7) and ((insert\$4 load\$4 mount\$4 presen\$4)near5 (detect\$4 determin\$7 discover\$4 identif\$7))) and (bus near4 (initiali\$7 reset\$4)) same ((insert\$4 load\$4 mount\$4 presen\$4)near5 (detect\$4 determin\$7 discover\$4 identif\$7))with (medi\$3 dis\$1))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 10:43
-	20	(bus near4 (initiali\$7 reset\$4)) same ((insert\$4 load\$4 mount\$4 presen\$4)near5 (medi\$3 dis\$1))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 15:43

-	487	(bus near4 (initiali\$7 reset\$4)) same ((state status mode) near4 (chang\$4 transition\$4 pass\$4 different transform\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/02/05 12:27
-	160	(bus near4 (initiali\$7 reset\$4)) with ((state status mode) near4 (chang\$4 transition\$4 pass\$4 different transform\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/02/05 11:32
-	89	(bus near4 (initiali\$7 reset\$4)) with ((state status mode) near4 (active in\$lactive))	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/28 17:33
-	2665	710/62,63,8,10,14,15,17,18,19.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/10/06 09:05
-	38	710/62,63,8,10,14,15,17,18,19.ccls. and ((bus near4 (initiali\$7 reset\$4)) same ((state status mode) near4 (chang\$4 transition\$4 pass\$4 different transform\$4)))	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/10/06 09:06
-	3	("5987126" "6034832" "6298196").PN.	USPAT	2004/02/05 12:51
-	0	20020042855.URPN.	USPAT	2004/02/05 12:51
-	0	6678464.URPN.	USPAT	2004/02/05 12:51
-	0	917295.src.	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/02/05 14:16
-	6	takayama\$.in. and 19970825.ad.	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/02/05 14:17
-	3	("5506965" "5517647" "5691714").PN.	USPAT	2004/02/05 14:21
-	270003	insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/02/05 15:15
-	270003	insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/02/05 15:15
-	2803	(insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1) same (detect\$4 determin\$7) with (state status mode)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/02/05 15:16
-	2355	((insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1) same (detect\$4 determin\$7) with (state status mode)) and (optical media medium)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/02/05 15:17
-	49	((insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1) same (detect\$4 determin\$7) with (state status mode)) and (optical media medium)) and optical adj drive	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/30 09:21

-	115	(optical adj media) near3 (camera video\$7)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 15:39
-	32	((optical adj media) near3 (camera video\$7)) and (insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 15:39
-	620	(initiali\$7 reset\$4) near5 (insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 15:44
-	594	((initiali\$7 reset\$4) near5 (insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1)) and (cd\$4 dvd\$4 optical dis\$1 drive)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 15:46
-	28	((initiali\$7 reset\$4) near5 (insert\$4 load\$4 mount\$4 presen\$4)near5(medi\$3 dis\$1)) and (cd\$4 dvd\$4 optical dis\$1 drive)) and (bus near4 (initiali\$7 reset\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 16:07
-	5346	detect\$4 near4 (presence insert\$4 load\$4 mount\$4) near4 (dis\$1 medi\$2)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 16:13
-	943	(detect\$4 near4 (presence insert\$4 load\$4 mount\$4) near4 (dis\$1 medi\$2)) same (status state mode)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 16:15
-	534	(detect\$4 near4 (presence insert\$4 load\$4 mount\$4) near4 (dis\$1 medi\$2)) with (status state mode)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 16:13
-	680	((detect\$4 near4 (presence insert\$4 load\$4 mount\$4) near4 (dis\$1 medi\$2)) same (status state mode)) same (cd\$4 dvd\$4 optical dis\$1 drive)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/05 16:16
-	34	("6421760" "6388590" "6363211" "6188571" "6134636" "6003105" "5967769" "5948094" "5905885" "5987533" "5822184" "5224019" "5309323" "5224026" "5006959" "4754398" "6188571" "6446148").pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 10:19
-	2	("4006465" "5784390").PN.	USPAT	2004/02/09 10:08
-	33	("6421760" "6388590" "6363211" "6188571" "6134630" "6003105" "5967769" "5948094" "5905885" "5987533" "5822184" "5224019" "5309323" "5224026" "5006959" "4754398" "6188571" "6446148").pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 10:39
-	33	("6421760" "6388590" "6363211" "6188571" "6134630" "6003105" "5967769" "5948092" "5905885" "5987533" "5822184" "5224019" "5309323" "5224026" "5006959" "4754398" "6188571" "6446148").pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 11:08
-	369	(parallel near2 interface)with (storage drive)and (parallel near2 serial)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 11:11
-	119	((parallel near2 interface)with (storage drive)and (parallel near2 serial)) and (serial near2 bus)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 11:14

-	30	((parallel near2 interface)with (storage drive)and (parallel near2 serial)) and (serial near2 bus)) and (pci near2 bus)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 11:20
-	3575	(serial near2 ATA) SATA	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 11:20
-	4071	(serial near2 ATA) S\$1ATA	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 11:29
-	244	((serial near2 ATA) S\$1ATA) and (parallel near3 serial)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 11:30
-	46	((serial near2 ATA) S\$1ATA) and (parallel near3 serial)) and pci	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 11:30
-	1303	710/62,71,72,74.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:10
-	12	710/62,71,72,74.ccls. and ((serial near2 ATA) S\$1ATA)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/09 15:13
-	2	("4006465" "5784390").PN.	USPAT	2004/02/09 15:19
-	8237	(detect\$4 discover\$3 determin\$7 inquir\$3 find\$3) near5 (load\$3 copy\$3 run\$5) same (reset\$4 initiali\$6)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/30 09:22
-	64	(detect\$4 discover\$3 determin\$7 inquir\$3 find\$3) near5 (load\$3 copy\$3 run\$5) same ((reset\$4 initiali\$6) near5 bus)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 10:05
-	2	20020019893.pn.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 10:05
-	10659	(detect\$4 discover\$3 determin\$7 inquir\$3 find\$3) near5 (load\$3 presence mount\$ insert\$3) same (reset\$4 initiali\$6)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/30 09:27
-	130	(detect\$4 discover\$3 determin\$7 inquir\$3 find\$3) near5 (load\$3 presence mount\$ insert\$3) same ((reset\$4 initiali\$6) near3 bus)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/06 09:06
-	31	((detect\$4 discover\$3 determin\$7 inquir\$3 find\$3) near5 (load\$3 presence mount\$ insert\$3) same ((reset\$4 initiali\$6) near3 bus)) and "1394"	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/30 10:14
-	0	insert\$3 with (disc media medium) with initiali\$6 near3 bus	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/30 10:15

-	3	(load\$3 presence mount\$ insert\$3) with (dis\$2 media medium cd\$4 dvd\$) with initiali\$6 near3 bus	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/30 10:17
---	---	--	--	---------------------